



# Divot<sup>®</sup>

## HERBICIDE

300g/L MCPA present as the potassium salt  
20g/L Clopyralid present as the olamine salt  
15g/L Diflufenican



### WHAT IS DIVOT<sup>®</sup>?

PACK SIZES: **250mL** **500mL** **1L** **5L**

DIVOT<sup>®</sup> is a premium TRIPLE ACTIVE selective herbicide designed to control a wide range of broadleaf weeds in turf. Its advanced formulation delivers systemic and residual activity for long-lasting, reliable control.

### KEY BENEFITS

- ✓ Professional turf product in a convenient home garden size
- ✓ Controls major broadleaf weeds (cape weed, white clover, bindii, cats ear, etc.)
- ✓ Systemic action – kills roots, not just leaves
- ✓ Residual control – reduces new germinations
- ✓ Proven safety across a broad range of cool & warm season turf, including many Buffalo varieties (refer to the *Restrictions and Critical Comments* in the label)
- ✓ Low odour
- ✓ No surfactant required for most weeds

### HOW IT WORKS

DIVOT<sup>®</sup> combines three active ingredients with different modes of action to deliver both immediate and long-term weed control.

## APPLICATION RATES

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Turf	Broadleaf weeds including: <ul style="list-style-type: none"><li>• White Clover (<i>Trifolium repens</i>),</li><li>• Plantain (<i>Plantago lanceolata</i>),</li><li>• Capeweed (<i>Arctotheca calendula</i>),</li><li>• Cat's ear (<i>Hypochoeris radicata</i>),</li><li>• Bindii (<i>Jo-Jo</i>, <i>Onehunga</i>) (<i>Soliva sessilis</i>),</li><li>• Cudweed (<i>Gnaphalium spp.</i>)</li><li>• Creeping oxalis (<i>Oxalis corniculata</i>)</li></ul>	5L in 200-500L water/ha or 50mL in 2-5L water per 100m <sup>2</sup>	Apply to actively growing weeds. Transient discolouration may occur on kikuyu and carpet grass and Queensland blue couch. Varietal differences in certain buffalo grasses (eg. ST85) may produce more pronounced effects and it is recommended that small areas be tested for turf safety before largescale application occurs. Avoid exceeding application rates through overlapping sprayed areas. Use a surfactant for difficult to wet weeds.

Note: Rates shown are a guide only. Always read the full product label before use

## TIPS TO MAXIMISE CONTROL

- Apply to actively growing weeds
- Ensure even coverage
- DO NOT use if rain is expected within 4 hours
- Avoid mowing during the 3 to 4 days preceding or following treatment
- DO NOT apply if weeds or turf are under stress or when frosts are imminent
- Complete weed death may take up to 6 weeks
- Always read the product label before use and follow all instructions

## USE AREAS

- Turf (including) \*
- Residential lawns
  - Sportsfields
  - Parks
  - Commercial turf

\*DO NOT use on bent grass or winter grass golf and bowling greens

## RE-ENTRY

Do not allow entry into treated areas until the spray has dried.

## MIXING AND APPLICATION

1. Shake container well before use
2. Partially fill spray tank with clean water (approximately 50%)
3. Add the required amount of DIVOT®
4. Top up with remaining water to the required volume
5. Add surfactant if required (when the spray-tank is almost full)
6. Maintain agitation during mixing and application
7. Apply evenly to the target area, avoiding overlap and over-application

Scan to calculate your spray mix



Disclaimer: Always read the product label and SDS before using the product to determine if the product is suitable for your situation