

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING



Divot[®]

HERBICIDE

ACTIVE CONSTITUENTS:
300 g/L MCPA present as the POTASSIUM SALT
20 g/L CLOPYRALID present as the OLAMINE SALT
15 g/L DIFLUFENCAN

GROUP 4 | 12 HERBICIDE

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

For the control of certain broadleaf weeds in turf as specified in the Directions for use table.

WEEDFORCE Pty Ltd

ACN 602 207 152 

1/18 Grandlee Dr, Wendouree, Vic, 3355

P: 0488 997 923 www.weedforce.com.au

© Trademark of Weed Force Pty Ltd © Weed Force Pty Ltd 2025

APVMA Approval No:

95845 / 147344

WEED FORCE DIVOT HERBICIDE

INDEX

RESTRAINTS	2
SPRAY DRIFT RESTRAINTS	2
TABLE A: WEEDS CONTROLLED	2
GENERAL INSTRUCTIONS	3
MIXING	3
MOWING	3
CLEANING SPRAY EQUIPMENT	3
COMPATIBILITY	3
RESISTANT WEEDS WARNING	4
PRECAUTION	4
RE-ENTRY PERIOD	4
PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS	4
PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT	4
STORAGE & DISPOSAL	4
SAFETY DIRECTIONS	5
FIRST AID	5
SAFETY DATA SHEET	6
CONDITIONS OF SALE	6

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT apply if weeds or turf are under stress or when frosts are imminent. DO NOT use if rain is expected within 4 hours.

DO NOT use on bent grass or winter grass golf and bowling greens.

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Turf	Broadleaf weeds including; White Clover (<i>Trifolium repens</i>), Plantain (<i>Plantago lanceolata</i>), Capeweed (<i>Arctotheca calendula</i>), Cat's ear (<i>Hypochaeris radicata</i>), Bindii (<i>Jo-Jo, Onehunga</i>) (<i>Soliva sessilis</i>), Cudweed (<i>Gnaphalium spp.</i>) Creeping oxalis (<i>Oxalis corniculata</i>)	5 L in 200-500 L water/ha	Apply to actively growing weeds. Transient discolouration may occur on kikuyu and carpet grass and Queensland blue couch. Varietal differences in certain buffalo grasses (eg. ST85) may produce more pronounced effects and it is recommended that small areas be tested for turf safety before large-scale application occurs. Avoid exceeding application rates through overlapping sprayed areas. Use a surfactant for difficult to wet weeds.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

For best results the turf and weeds should be actively growing at the time of treatment. Complete weed death may take up to 6 weeks. Faster results can be expected on smaller weeds. Due to residual effects of diflufenican, overseeding treated areas within 3 months of application may inhibit establishment of the turf grass.

MIXING

Shake original container before use. Agitate continuously to ensure thorough mixing before and during application. Only mix sufficient chemical for each day's work. Surfactants (if used) should be added after Weed Force Divot Herbicide and water are mixed when the spray-tank is almost full.

MOWING

Avoid mowing during the 3 to 4 days preceding or following treatment.

CLEANING SPRAY EQUIPMENT

THOROUGHLY CLEAN ALL APPLICATION EQUIPMENT AFTER USE.

Rinse water should be discharged onto a designated disposal area or if unavailable onto unused land away from desirable plants and watercourses.

Partial Cleaning (before spraying tolerant turf): After using Weed Force Divot Herbicide, empty the tank completely and drain the whole system. Thoroughly wash inside the tank with a pressure hose. Quarter fill the tank with clean water and circulate through the pump, line, hoses and nozzles. Drain and repeat procedure twice.

Complete cleaning (before spraying susceptible plants): After using Weed Force Divot Herbicide empty the tank completely and drain the whole system. Thoroughly wash inside the tank with a pressure hose. Quarter fill the tank with clean water and circulate through the pump, line, hoses and nozzles, then drain. Quarter fill the tank again and add an alkaline detergent at 500 mL/100 L water and circulate through the system for at least 15 minutes. Drain, remove filters and nozzles and clean separately. Rinse inside the tank thoroughly using a pressure hose and flush system with clean water.

COMPATIBILITY

No information is available that indicates physical compatibility with other products. Tank-mixing other products with Weed Force Divot Herbicide cannot therefore be recommended. As formulations of other manufacturers' products are beyond the control of Weed Force Pty Ltd, all mixtures should be tested prior to mixing commercial quantities.

RESISTANT WEEDS WARNING

GROUP	4	12	HERBICIDE
--------------	----------	-----------	------------------

Weed Force Divot Herbicide is a member of the phenyl-ethers, phenoxy and pyridines groups of herbicides. Weed Force Divot Herbicide has the inhibitors of carotenoid biosynthesis and disruptor of plant cell growth modes of action. For weed resistance management, Weed Force Divot Herbicide is a Group 12 and 4 herbicide. Some naturally-occurring weed biotypes resistant to Weed Force Divot Herbicide and other Group 12 and 4 herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Weed Force Divot Herbicide or other Group 12 and 4 herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Weed Force Pty Ltd accepts no liability for any losses that may result from the failure of Weed Force Divot Herbicide to control resistant weeds.

PRECAUTION RE-ENTRY PERIOD

Do not allow entry into treated areas until the spray has dried. When prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use. Manual Handling of Turf: Hand-weeding and transplanting should not be performed before 2 weeks after spray application, unless workers wear overalls (or equivalent clothing) and chemical resistant gloves.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT use clippings from treated areas for mulch around vegetables or fruit trees.

PROTECTION OF LIVESTOCK

Do not graze treated turf or feed turf clippings from any treated area to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic life. Do NOT contaminate streams, rivers or watercourses with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory Government Regulations. Do not burn empty containers or product.

DrumMUSTER

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate or any undiluted chemical according to state legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately. Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage. This container remains the property of Weed Force Pty Ltd. Envirodrums: Mini Bulk Returnable Container: DO NOT tamper with the Micro Matic valve or the security seal. DO NOT contaminate the Envirodrum with water or any foreign matter. After each use of the product, please ensure that the Micro Matic coupler delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase. The Envirodrum remains the property of Weed Force Pty Ltd.

SAFETY DIRECTIONS

Harmful if swallowed. Will damage eyes. Will irritate skin. Avoid contact with eyes and skin. If product in eyes, wash it out immediately with water. Wash hands after use. When opening the container, preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and goggles. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.

SAFETY DATA SHEET (SDS)

The SDS contains important information relating to health and safety. This product should be used in conjunction with information on the SDS and users are advised to read the SDS before using this product. The most up to date SDS can be obtained from www.weedforce.com.au

CONDITIONS OF SALE

To the extent permitted by law, all conditions and warranties and statutory or other rights or action which buyer or any other user may have against Weed Force Pty Ltd ("Weed Force") or Seller are hereby excluded. Weed Force hereby gives Notice to Buyer and other users that it will not accept responsibility for any direct, indirect or consequential loss however arising (including negligence) from the sale, supply, use or application of this product or reliance on product information or advice provided by Weed Force or on its behalf. No warranty expressed or implied is given by Weed Force regarding its suitability or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not. Weed Force's liability shall, in all circumstances, be limited to replacement of the product or a refund of the purchase price paid therefor.



WEEDFORCE Pty Ltd **ACN 602 207 152** 
1/18 Grandlee Dr, Wendouree, Vic, 3355
P: 0488 997 923 www.weedforce.com.au

® Registered Trademark of Weed Force Pty Ltd
© Weed Force Pty Ltd 2025

APVMA Approval No:
95845 / 147344